

型號 MODEL	220伏特(V) / 50赫茲(Hz)							
	瓦 WATTAGE		每分鐘轉數 R.P.M.		送風速度 AIR VELOCITY		送風範圍 AIR DELIVERY	
	低 LOW	高 HIGH	低 LOW	高 HIGH	米/分鐘 M/MIN	尺/分鐘 FT/MIN	立方米/分鐘 M³/MIN	立方尺/分鐘 FT³/MIN

### 座地扇 LIVING FAN

F-30SMH	2-8	20-22	270-330	990-1210	144	472	50	1,766
F-35TMH	2.6	27	200	730	130	426.5	68.6	2,422
F-307KH	19-25	32-44	711-940	968-1,232	201	658	51	1,792
F-308NH	19-25	34-42	630-800	935-1,140	181	594	40	1,412
F-30PLH	26	36	700	1,040	200	656	43	1,518
F-408HH	36-44	44-53	725-886	1,035-1,265	241	790	75	2,648
F-409KH	38-46	45-55	765-935	1,059-1,295	243	797	82	2,895
F-407XH	34-41	43-52	744-910	1,097-1,341	244	800	73	2,581

### 班麗扇 BOX FAN

F-30STH	26-32	35-43	662-809	969-1185	214	701	49	1,734
F-30SDH	26-32	35-43	662-809	969-1185	214	701	49	1,734
F-30SSH	26-32	35-43	662-809	969-1185	214	701	49	1,734
F-30SCH	26-32	35-43	662-809	969-1185	214	701	49	1,734

### 掛牆扇 WALL FAN

F-309UH	26-32	34-42	779-952	1,124-1,374	215	705	45	1,589
F-359UH	34-42	44-54	699-855	1,053-1,287	216	708	59	2,084
F-409UH	34-41	43-52	744-910	1,097-1,341	244	800	73	2,581
F-405UH	34-41	43-52	744-910	1,097-1,341	244	800	73	2,581
F-409MH	38-46	47-57	688-840	1,055-1,289	244	800	76	2,673

### 樓底扇 CYCLE FAN

F-405QH	21-25	46-52	785	1,170	254	833	78	2,755
F-409QH	15-19	40-49	600	1,170	254	833	78	2,755

### 座檯扇 DESK FAN

F-302BH	20-24	34-42	833-1,018	1,089-1,331	206	676	41	1,448
F-301CH	20-24	34-42	833-1,018	1,089-1,331	206	676	41	1,448
F-351CH	33-39	40-49	862-1,054	1,139-1,393	230	754	53	1,872
F-401CH	34-42	44-54	688-840	1,055-1,289	244	800	76	2,673
F-301SH	20-24	34-42	833-1,018	1,089-1,331	206	676	41	1,448
F-351SH	33-39	40-49	862-1,054	1,139-1,393	230	754	53	1,872
F-401SH	34-42	44-54	688-840	1,055-1,289	244	800	76	2,673

Electric Fan

電 風 扇



F-30SMH

自然韻律風  
Natural Breeze

此產品目錄以環保紙及墨印印刷  
Printed with environmental friendly ink on environmental paper.

本產品目錄只供參考，資料已經過細心核對，如有錯漏，以廠方生產的規格為準。  
本公司保留更改產品設計及規格之權利，恕不另行通知。  
如有任何爭議，信興電子有限公司保留最終決定權。

This catalogue is for reference only. The product information is subject to manufacturer specifications.  
The design and specifications of the products may be modified without prior notice.  
In case of any dispute, Shun Hing Electronic Trading Co., Ltd. reserves the right of final decision.

03/2015

# DC Motor Fan 智能風扇

F-30SMH  
ø30cm (12")

1/f yuragi



- 直流電摩打
- nanoe™ 納米離子技術
- 1/f 自然韻律風功能
- 溫度感應器
- 七片式螺旋形塑膠扇葉
- 全方位三向擺動
- 八段風速調節及電子開關
- 無線遙控
- 開機及關機時間掣
- 可調校高度：  
90.5厘米-110厘米(36吋- 43吋)
- 顏色：◆ 銀色
- DC Motor
- nanoe™
- 1/f Yuragi function
- Temperature sensor
- 7 Axial plastic blades
- 3 Oscillation directions
- 8-speed and electronic ON / OFF switch
- Wireless remote control
- On & off timer
- Height adjustable:  
90.5cm-110cm (36"- 43")
- Color: ◆ Silver



F-35TMH  
ø35cm (14")

NEW

節能 Energy Saving

耗電量低至  
Power consumption down to  
**2.6W**<sup>\*4</sup>  
最高27W<sup>\*5</sup> Highest

靜音 Silent

音量低至  
Noise level down to  
**21dB**<sup>\*4</sup>  
最高44dB<sup>\*6</sup> Highest

- 直流電摩打
- 負離子技術
- 溫度感應器
- 九片式螺旋形塑膠扇葉
- 八段風速調節及電子開關
- 無線遙控
- 開機及關機時間掣
- 可調校高度：  
90厘米-110厘米(36吋- 43吋)
- 顏色：◆ 白色
- DC Motor
- Negative ion
- Temperature sensor
- 9 Axial plastic blades
- 8-speed and electronic ON / OFF switch
- Wireless remote control
- On & off timer
- Height adjustable:  
90cm-110cm (36"- 43")
- Color: ◆ White

\*1 最小風量，nanoe™納米離子及擺動模式關閉 Lowest airflow without nanoe™ & oscillation.

\*2 最大風量，nanoe™納米離子及擺動模式開啟 Highest airflow with nanoe™ & oscillation.

\*3 最大風量，nanoe™納米離子開啟 Highest airflow with nanoe™.

\*4 最小風量，ion負離子及擺動模式關閉 Lowest airflow without ion & swing.

\*5 最大風量，ion負離子及擺動模式開啟 Highest airflow with ion & swing.

\*6 最大風量，ion負離子模式開啟 Highest airflow with ion.

## 直流電摩打

- 耗電量低，運作時極致寧靜，有效慳電節能，締造恬靜環保家居。
- 能精確地控制風量，產生八段溫和舒適的自然涼風。

## DC Motor

- The low power consumption and silent operation of DC motor saves energy effectively and creates a tranquil and eco-friendly home.
- Meticulously controls wind volume to generate 8 levels of mild, cozy and natural wind.



## 七片、九片式螺旋形扇葉


- 廣角及流暢送風。
- 與舊型號相比，風量大增。

### 7 and 9 Axial Blades Design

- Wide-angled and smooth airflow
- Maximum air volume increased when compare with previous model.



七片式螺旋形扇葉  
7 Axial Blades Design  
(F-30SMH)



九片式螺旋形扇葉  
9 Axial Blades Design  
(F-35TMH)

## 溫度感應器

- 感應室溫，自動調節風量。
- 特設高溫/ 低溫模式\*，配合不同體質，把室溫調至最合適溫度。
- 特設睡眠模式\*：每30分鐘探測室溫一次，因應室溫將風量控制於1至4段風速之間，維持最佳睡眠溫度。


### Temperature Sensor

- Detect the room temperature and turn on/ off or change wind speed automatically.
- High/ Low temperature Mode\* settings for different body conditions and the best room temperature.
- Unique Sleep Mode\*: detect room temperature every 30 minutes. Depending on room temperature change, it controls wind speed in the range from 1 to 4 for an ideal sleeping environment.




\* 適用於 F-30SMH  
Applicable to F-30SMH

# 1/f yuragi 自然韻律風 Natural Breeze



• 1/f Yuragi\* 是一種使人感到舒適的韻律起伏，存在於大自然的微風、海邊的波浪聲，甚至優雅的古典音樂。Panasonic利用先進科技，把Yuragi的起伏應用於電風扇上，透過轉變風力強弱來模仿自然風的韻律，讓你享受更舒適自然的清風！

• 1/f Yuragi\* is a fluctuation pattern that makes people feel comfortable. It exists in the gentle breeze, hypnotic rhythm of rolling waves and even in the classical music. Panasonic incorporates this Yuragi pattern in its electric fan by varying air velocity to simulate the pattern of natural breeze, creating an extra and refreshing environment for you to enjoy.




\* 適用於 F-30SMH、F-307KH、F-308NH、F-408HH、F-409KH、F-30STH、F-30SDH、F-30SSH、F-30SCH  
Applicable to F-30SMH、F-307KH、F-308NH、F-408HH、F-409KH、F-30STH、F-30SDH、F-30SSH、F-30SCH

## 全方位三向擺動<sup>#</sup>

- 通過上下、左右和立體擺動來攪動室內的空氣，使室溫更平均。
- 左右擺動角度調節：60° / 75° / 90°


## 3 Oscillation Directions

- Vertical, horizontal and 3D oscillation stir air and balance the room temperature.
- Horizontal swing angle adjustment: 60° / 75° / 90°




## nanoe™ 納米離子技術<sup>#</sup>

- Panasonic獨有的 nanoe™ 納米離子技術，有效去除異味。
- Unique nanoe™ from Panasonic effectively removes odor.



連依附在衣服上的難聞氣味也能除去  
Remove Odor Attached on Clothes



檢測機構：日本環境管理中心株式會社

檢測方法：於放有6塊榻榻米的實驗室內，通過6階段異味強度標示法進行驗證。

Test agency: Japan Environmental Management Center Co., Ltd.

Test method: Verification is carried out by the labeling method of 6 grades of smell intensity in laboratory with six tatami.

# 適用於 F-30SMH Applicable to F-30SMH

## ion 負離子技術

特設負離子產生器，釋出大量 ion 負離子，為家居帶來猶如置身森林般的清新好空氣。


Equipped with negative ion generator which brings you with forest like fresh air.

適用於 F-35TMH  
Applicable to F-35TMH



# 卓越設計與功能 更清涼、清新

COOLER & FRESHER WITH  
OUTSTANDING DESIGN & FUNCTIONS



- 抑制致敏原
- 抑制濾網捕集到的過敏原之活動

試驗機關：大阪市立工業研究所  
試驗方法：採用酵素免疫測定法，證實過敏原的降低

## SUPER alleru-buster 系列

- To inhibit allergens
- To restrain the activity of allergens caught by filter

Testing Unit: Osaka Municipal Technical Research Institute  
Testing Method: Apply with enzyme immunoassay method proving the reduction on refined allergens



- 抑制病毒
- 「家庭健」兒茶素是從綠茶中提取的天然成份

試驗機關：日本北里環境科學中心  
試驗方法：採用布拉克法確實病毒的不活化

濾網具有「家庭健」兒茶素的特有香味，對人體無害

- To inhibit virus
- Catechin is a natural element extracted from green tea

Testing Unit: Kitasato Research Center of Environmental Sciences  
Testing Method: To use Brack Method for proving the non-activity rate of virus

The filter has unique fragrance of the Catechin that does not harm human body



- 預防細菌及霉菌再生

試驗機關：日本食品分析中心  
試驗方法：在標準露天培養地，採用露天平板培養法進行確定

- To prevent reproduction of bacteria & molds

Testing Unit: Japan Food Research Laboratories  
Testing Method: Result confirmed by applying an outdoor planting method in a standard outdoor culture center

## 耐用及高效打 Durable and High Performance Motor

高效能滾珠軸承式摩打

耐用度：20,000小時

耐用度較從前提升約2.8倍

High performance ball bearing type motor

Endurance: 20,000hrs

Around 2.8 times longer life than current model



## 安全及可信 Safe and Reliable

為確保產品安全，Panasonic電風扇均符合安全標準。  
Panasonic electric fans comply safety standard in order to enhance and ensure the product safety.

# LIVING FAN 座地扇

F-307KH  
ø30cm (12")



- 1/f 自然韻律風功能
- 附抑制過敏原、「家庭健」兒茶素、  
抗菌酵素功能於一身的過濾網
- 三段風速調節及電子開關
- 無線遙控
- 可調校高度：66厘米-85厘米(26吋-33吋)
- 四小時電子時間掣
- 透明塑膠扇葉
- 顏色：● 銀綠色 ● 銀色
- 1/f Yuragi function
- The attached air filter combines Super alleru-buster, Green Tea Catechin and Anti-bacteria Enzyme functions
- 3-speed and electronic ON/OFF switch
- Wireless remote control
- Height adjustable: 66cm – 85cm(26"- 33")
- 4-hour electronic timer
- Transparent plastic blade
- Color: ● Metallic Green ● Silver

## F-308NH ø30cm (12")

*1/f yuragi*

- 1/f 自然韻律風功能
- 三段風速調節及電子開關
- 獨有超平背設計
- 四小時電子時間掣
- 可調校高度：91厘米-105厘米(36吋-41吋)
- 無線遙控
- 透明塑膠扇葉
- 顏色：■ 粉紅色 ■ 淺藍色

- 1/f Yuragi function
- 3-speed and electronic ON/OFF switch
- Slim and compact motor design
- 4-hour electronic timer
- Height adjustable: 91cm – 105cm(36"- 41")
- Wireless remote control
- Transparent plastic blade
- Color: ■ Baby Pink ■ Pastel Blue



## F-30PLH ø30cm (12")

- 三段風速調節及電子開關
- 柔和送風功能
- 四小時電子時間掣
- 可調校高度：69厘米-87.5厘米(27吋-34吋)
- 透明塑膠扇葉
- 顏色：■ 藍色(藍色扇葉) ■ 白色(灰色扇葉) ■ 灰色(灰色扇葉)
- 3-speed and electronic ON/OFF switch
- Rhythm breeze function
- 4-hour electronic timer
- Height adjustable: 69cm – 87.5cm(27"- 34")
- Transparent plastic blade
- Color: ■ Blue (Blue blade) ■ White (Gray blade) ■ Gray (Gray blade)



## F-408HH *1/f yuragi* ø40cm (16")

- 1/f 自然韻律風功能
- 三段風速調節及電子開關
- 六小時電子時間掣
- 可調校高度：128厘米-143厘米(50吋-56吋)
- 透明塑膠扇葉
- 顏色：■ 藍色 ■ 杏色

- 1/f Yuragi function
- 3-speed and electronic ON/OFF switch
- 6-hour electronic timer
- Height adjustable: 128cm – 143cm(50"- 56")
- Transparent plastic blade
- Color: ■ Blue ■ Beige



## F-409KH *1/f yuragi* ø40cm (16")

- 1/f 自然韻律風功能
- 三段風速調節及電子開關
- 六小時電子時間掣
- 可調校高度：128厘米-143厘米(50吋-56吋)
- 無線遙控
- 透明塑膠扇葉
- 顏色：■ 藍色 ■ 杏色

- 1/f Yuragi function
- 3-speed and electronic ON/OFF switch
- 6-hour electronic timer
- Height adjustable: 128cm – 143cm(50"- 56")
- Wireless remote control
- Transparent plastic blade
- Color: ■ Blue ■ Beige



## F-407XH ø40cm (16")

- 三段風速調節及按鈕開關
- 六小時旋鈕時間掣
- 可調校高度：134厘米-157厘米(53½吋-61¼吋)
- 鋁合金扇葉
- 顏色：■ 深藍色(金色扇葉) ■ 灰色(藍色扇葉)

- 3-speed and ON/OFF push-button switch
- 6-hour mechanical timer
- Height adjustable: 134cm – 157cm(53½"- 61¼")
- Aluminum alloy blade
- Color: ■ Deep Blue (Gold blade) ■ Gray (Blue blade)



# Box FAN 斑麗扇

*yuragi*

F-30STH

ø30cm (12")

- 1/f 自然韻律風功能
- 三段風速調節及電子開關
- 旋轉式前置百葉窗
- 八小時電子時間掣
- 不透明塑膠扇葉
- 顏色： 銀紫色 銀綠色

- 1/f Yuragi function
- 3-speed and electronic ON/OFF switch
- Revolving front louver
- 8-hour electronic timer
- Opaque plastic blade
- Color: Metallic Lavender Metallic Green



銀綠色  
Metallic Green

*yuragi*

F-30SDH

ø30cm (12")

- 1/f 自然韻律風功能
- 三段風速調節及電子開關
- 旋轉式前置百葉窗
- 八小時電子時間掣
- 超薄無線遙控
- 不透明塑膠扇葉
- 顏色： 銀紫色 銀綠色

超薄無線遙控  
Ultra-thin Remote Control



銀綠色  
Metallic Green

*yuragi*

F-30SSH

ø30cm (12")

- 1/f 自然韻律風功能
- 三段風速調節及電子開關
- 旋轉式前置百葉窗
- 八小時電子時間掣
- 可調校高度：80厘米-97厘米 (31吋-38吋)
- 可調校角度：90°
- 不透明塑膠扇葉
- 顏色： 銀紫色 銀綠色

- 1/f Yuragi function
- 3-speed and electronic ON/OFF switch
- Revolving front louver
- 8-hour electronic timer
- Height adjustable: 80cm - 97cm (31" - 38")
- Adjustable tilt angle: 90°
- Opaque plastic blade
- Color: Metallic Lavender Metallic Green



銀紫色  
Metallic Lavender

*yuragi*

F-30SCH

ø30cm (12")

- 1/f 自然韻律風功能
- 三段風速調節及電子開關
- 旋轉式前置百葉窗
- 八小時電子時間掣
- 可調校高度：80厘米-97厘米 (31吋-38吋)
- 可調校角度：90°
- 超薄無線遙控
- 不透明塑膠扇葉
- 顏色： 銀紫色 銀綠色

超薄無線遙控  
Ultra-thin Remote Control



銀紫色  
Metallic Lavender

# WALL FAN 掛牆扇

## F-309UH ø30cm(12")

- 三段風速調節及拉掣式開關
- 拉掣式控制擺動
- 不透明塑膠扇葉
- 顏色：●藍色 ○白色
- 3-speed and ON/OFF by pull switch
- Pull switch oscillation control
- Opaque plastic blade
- Color: ● Blue ○ White



## F-359UH/F-409UH ø35cm(14") / ø40cm(16")

- 三段風速調節及拉掣式開關
- 拉掣式控制擺動
- 鋁合金扇葉
- 顏色：●藍色 ○白色
- 3-speed and ON/OFF by pull switch
- Pull switch oscillation control
- Aluminum alloy blade
- Color: ● Blue ○ White



## F-405UH SUPER alleru-buster ø40cm(16")

- 附抑制過敏原、「家庭健」兒茶素、  
抗菌酵素功能於一身的過濾網
- 三段風速調節及拉掣式開關
- 拉掣式控制擺動
- 鋁合金扇葉
- 顏色：●藍色
- The attached air filter combines Super alleru-buster, Green Tea Catechin and Anti-bacteria Enzyme functions
- 3-speed and ON/OFF by pull switch
- Pull switch oscillation control
- Aluminum alloy blade
- Color: ● Blue



## F-409MH ø40cm(16")

- 三段風速調節及電子開關
- 六小時電子時間掣
- 全功能速度(風量)控制及擺動控制遙控器
- 透明塑膠扇葉
- 顏色：●藍色 ○灰色
- 3-speed and electronic ON/OFF switch
- 6-hour electronic timer
- Full-operation remote control for speed and oscillation
- Transparent plastic blade
- Color: ● Blue ○ Gray




# CYCLE FAN 樓底扇

F-405QH  
ø40cm(16")



- 附抑制過敏原、「家庭健」兒茶素、  
抗菌酵素功能於一身的過濾網
- 三段風速調節及旋鈕開關
- 360°擺動
- 簡易調校送風角度
- 鋁合金扇葉
- 顏色：◆藍色
- The attached air filter combines Super alleru-buster, Green Tea Catechin and Anti-bacteria Enzyme functions
- 3-speed and ON/OFF regulator
- 360° oscillation
- Easy angle adjustment
- Aluminum alloy blade
- Color: ◆ Blue



F-409QH  
ø40cm(16")

- 五段風速調節及旋鈕開關
- 360°擺動
- 簡易調校送風角度
- 鋁合金扇葉
- 顏色：◆藍色 ◇白色
- 5-speed and ON/OFF regulator
- 360° oscillation
- Easy angle adjustment
- Aluminum alloy blade
- Color: ◆ Blue ◇ White



◆ 藍色  
◇ 白色  
◆ Aluminum alloy blade  
◇ 5-speed Regulator

# DESK FAN 座檯扇

F-302BH  
ø30cm(12")



- 三段風速調節及旋鈕開關
- 時尚設計
- 透明塑膠扇葉
- 顏色：◆紫色 ◇淺粉紅色
- 3-speed and ON/OFF switch knob
- Modern design
- Transparent plastic blade
- Color: ◆ Lavender ◇ Silver Pink

F-301CH / F-351CH / F-401CH  
ø30cm(12") / ø35cm(14") / ø40cm(16")



- 三段風速調節及按鈕開關
- 透明塑膠扇葉
- 纖巧包裝
- 顏色：◆藍色 ◇米色 ◇杏色
- 3-speed and ON/OFF push-button switch
- Transparent plastic blade
- Slim packing
- Color: ◆ Blue ◇ Ivory ◇ Beige Gray

F-301SH / F-351SH / F-401SH  
ø30cm(12") / ø35cm(14") / ø40cm(16")



- 三段風速調節及按鈕開關
- 六小時旋鈕時間掣
- 透明塑膠扇葉
- 纖巧包裝
- 顏色：◆藍色 ◇米色 ◇綠色
- 3-speed and ON/OFF push-button switch
- 6-hour mechanical timer
- Transparent plastic blade
- Slim packing
- Color: ◆ Blue ◇ Ivory ◇ Green